


02/05/2016	Kit Components	
Product code	Description	
D5008	EZ-96 DNA Methylation-Gold Kit, 2 x 96 Rxns.	
Components:		
D5001-1	CT Conversion Reagent	
D5001-2	M-Dilution Buffer	
D5005-6	M-Dissolving Buffer	
D5001-3	M-Binding Buffer	
D5001-4	M-Wash Buffer	
D5001-5	M-Desulphonation Buffer	
D5001-6	M-Elution Buffer	



Printing date 02/05/2016

Reviewed on 11/10/2015



Page 1/9



Printing date 02/05/2016

Reviewed on 11/10/2015

Page 2/9

Trade name: CT Conversion Reagent

(Contd. of page 1) Do not eat, drink or smoke when using this product. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 2FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 7681-57-4 sodium metabisulphite

≤100%

# 4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US



Printing date 02/05/2016

Reviewed on 11/10/2015

Trade name: CT Conversion Reagent

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- $\cdot$  Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions: None.
- *Specific end use(s)* No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- $\cdot$  Components with limit values that require monitoring at the workplace:

CAS: 7681-57-4 sodium metabisulphite

REL Long-term value: 5 mg/m<sup>3</sup>

TLV Long-term value: 5 mg/m<sup>3</sup>

(Contd. on page 4)

(Contd. of page 2)

Page 3/9



Printing date 02/05/2016

Trade name: CT Conversion Reagent

Reviewed on 11/10/2015

(Contd. of page 3) · Additional information: The lists that were valid during the creation were used as basis. • Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. · Breathing equipment: Not required. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles

• Information on basic physical and • General Information • Appearance:	chemical properties	
Form:	Powder	
Color:	Whitish	
Odor:	Pungent	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	

Page 4/9



Printing date 02/05/2016

Reviewed on 11/10/2015

Trade name: CT Conversion Reagent

	(Contd. of page
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
• Density at 20 •C (68 •F):	1.2 g/cm <sup>3</sup> (10.014 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Soluble.
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
• Other information	No further relevant information available.

#### 10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Contact with acids releases toxic gases.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- $\cdot$  Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- $\cdot$  on the eye: Strong irritant with the danger of severe eye injury.
- $\cdot$  Sensitization: No sensitizing effects known.

(Contd. on page 6)

Page 5/9



Printing date 02/05/2016

Reviewed on 11/10/2015

Trade name: CT Conversion Reagent

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

(Contd. of page 5)

Page 6/9



*Printing date 02/05/2016* 

Trade name: CT Conversion Reagent

Reviewed on 11/10/2015

(Contd. of page 6)

UN-Number	
DOT, ADN, IMDG, IATA	not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	not regulated
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	not regulated

# 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

Section 355 (extremely hazardous substances): None of the ingredients is listed.
Section 313 (Specific toxic chemical listings): None of the ingredients is listed.
TSCA (Toxic Substances Control Act): All ingredients are listed.
Proposition 65
Chemicals known to cause cancer: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 8) US

Page 7/9



Printing date 02/05/2016

Reviewed on 11/10/2015

Trade name: CT Conversion Reagent

(Contd. of page 7)

A4

Page 8/9

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7681-57-4 sodium metabisulphite

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• *Hazard-determining components of labeling:* sodium metabisulphite

• *Hazard statements* Harmful if swallowed. Causes serious eye damage.

• Precautionary statements

Wear eye protection / face protection.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682

(Contd. on page 9)

US



Printing date 02/05/2016

Reviewed on 11/10/2015

Trade name: CT Conversion Reagent

(Contd. of page 8) · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/05/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Page 9/9



Printing date 02/05/2016

**1** Identification

Reviewed on 11/10/2015

Page 1/10

# · Product identifier • Trade name: M-Dilution Buffer · Article number: D5001-2, D5002-2, D5005-2, D5006-2 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com · Information department: Product safety department • Emergency telephone number: During normal business hours: +1 (949) 679 1190 2 Hazard(s) identification · Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: sodium hydroxide · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wear eye protection / face protection. Wash thoroughly after handling. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). (Contd. on page 2) US



Printing date 02/05/2016

Reviewed on 11/10/2015

Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4) • Health = 3 Fire = 0 Reactivity = 0 • HMIS-ratings (scale 0 - 4) HEALTH 3 Fire = 0 REACTIVITY 0 Reactivity = 0 • Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	
Fire = 0 Reactivity = 0 HMIS-ratings (scale 0 - 4) HEALTH Health = 3 FIRE Reactivity = 0 EACTIVITY Reactivity = 0 Cother hazards Results of PBT and vPvB assessment PBT: Not applicable.	
HEALTH       3         FIRE       0         Fire       0         REACTIVITY       0         Reactivity       0         • Other hazards         • Results of PBT and vPvB assessment         • PBT: Not applicable.	
FIRE FI	
• <i>Results of PBT and vPvB assessment</i> • <i>PBT:</i> Not applicable.	
3 Composition/information on ingredients	
• <i>Chemical characterization: Mixtures</i> • <i>Description:</i> Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	50/
CAS: 1310-73-2 sodium hydroxide	≤5%
4 First-aid measures	

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

US

Page 2/10



Printing date 02/05/2016

Reviewed on 11/10/2015

Trade name: M-Dilution Buffer

(Contd. of page 2)

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *Advice for firefighters*
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.

• *Environmental precautions:* Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Page 3/10

US



• Components with limit values that require monitoring at the workplace:

Printing date 02/05/2016

· Control parameters

Trade name: M-Dilution Buffer

Reviewed on 11/10/2015

Page 4/10

(Contd. of page 3)

CAS: 1310-73-2 sodium hydroxide PEL Long-term value: 2 mg/m<sup>3</sup> REL Ceiling limit value: 2 mg/m<sup>3</sup> TLV Ceiling limit value: 2 mg/m<sup>3</sup> · Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles (Contd. on page 5)



Printing date 02/05/2016

Trade name: M-Dilution Buffer

Reviewed on 11/10/2015

(Contd. of page 4)

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	T invid	
Form: Color:	Liquid Clear	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	4.5 %	
Other information	No further relevant information available.	

(Contd. on page 6)

Page 5/10



Printing date 02/05/2016

Trade name: M-Dilution Buffer

Reviewed on 11/10/2015

(Contd. of page 5)

Page 6/10

#### 10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### CAS: 1310-73-2 sodium hydroxide

- Oral LD50 2000 mg/kg (rat)
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)



Printing date 02/05/2016

Reviewed on 11/10/2015

#### Trade name: M-Dilution Buffer

#### · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1824
UN proper shipping name	
DOT	Sodium hydroxide solution
IMDG, IATA	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8

(Contd. of page 6)



Printing date 02/05/2016

Reviewed on 11/10/2015

Trade name: M-Dilution Buffer

	(Contd. of page 7
· Packing group · DOT, IMDG, IATA	П
· Environmental hazards:	Not applicable.
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> <li>Segregation groups</li> </ul>	Warning: Corrosive substances 80 F-A,S-B Alkalis
• Transport in bulk according to Annex II oj MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

# 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

Page 8/10



Page 9/10

(Contd. of page 8)

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/05/2016

Reviewed on 11/10/2015

Trade name: M-Dilution Buffer

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- *Hazard-determining components of labeling:* sodium hydroxide
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements

Do not breathe dusts or mists.

- Wear eye protection  $\slash$  face protection.
- Wash thoroughly after handling.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Department issuing SDS:

Zymo Research Corp. Safety Department



Printing date 02/05/2016

Reviewed on 11/10/2015

Page 10/10

#### Trade name: M-Dilution Buffer

(Contd. of page 9) 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/05/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1



Printing date 02/05/2016

Reviewed on 11/13/2015

Page 1/11

Product identifier         Trade name:         M-Dissolving Buffer         Article number:         D5005-6, D5006-6         Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Zymo Research Corp.         17062 Murphy Ave.         Irvine, CA 25014         USA         Phone:       1-949-679-1190 or 1-888-882-9682         sds@zymoresearch.com         Information department:         Pronce:       1-949-679-1190 or 1-888-882-9682         sds@zymoresearch.com         Information department:         Pronce:       1-949-679-1190 or 1-888-882-9682         sds@zymoresearch.com         Information department:         Pronce:       1-949-679-1190         Information department:       Product safety department         Emergency telephone number:       During normal business hours: +1 (949) 679 1190         Itazard(s)       identification         Classification of the substance or mixture       Image: Classification of the substance or mixture         Itage: Classification       GHS08 Health hazard         Repr. 1B       H360 May damage fertility or the unborn child.         Itage: Classification       Classification         Classification differet	Identification	
Article number: D5005-6, D5006-6 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. Troic2 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture $\widetilde{V}$ GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. $\widetilde{V}$ GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. $\widetilde{V}$ GHS07 Eye Irrit: 2A H319 Causes serious eye irritation. Label elements GHS07 GHS07 Eye Irrit: 2A H319 Causes serious eye irritation. Label elements GHS04 flagatory GHS08 GHS07 GHS08 Health hazard (GHS) $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ (GHS08) $\widetilde{V}$ GHS07 GHS08 Health hazard (GHS) $\widetilde{V}$ GHS07 (GHS07) $\widetilde{V}$ GHS07 (GHS07) $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ (GHS08) $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ $\widetilde{V}$ (GHS08) $\widetilde{V}$ (GHS07) $\widetilde{V}$ (GH	Product identifier	
Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Zymo Research Corp.         Troic2 Murphy Ave.         Irvine, CA 92614         USA         Phone: 1-949-679-1190 or 1-888-882-9682         sds@zymoresearch.com         Information department: Product safety department         Emergency telephone number: During normal business hours: +1 (949) 679 1190         Hazard(s) identification         Classification of the substance or mixture         Image: GHS02 Flame         Flam. Liq. 3       H226 Flammable liquid and vapor.         GHS08 Health hazard         Repr. 1B       H360 May damage fertility or the unborn child.         Image: GHS07         Eye Irrit. 2A H319       Causes serious eye irritation.         Label elements         GHS08       The product is classified and labeled according to the Globally Harmonized System (GHS)         GHS02       GHS07         GHS02       GHS07         GHS02       GHS07         GHS03       GHS08	Trade name: <u>M-Dissolving Buffer</u>	
Manufacturer/Supplier:         Zymo Research Corp.         Tyole2 Murphy Ave.         Irvine, CA 92614         USA         Phone: 1-949-679-1190 or 1-888-882-9682         sds@zymoresearch.com         Information department: Product safety department         Emergency telephone number: During normal business hours: +1 (949) 679 1190         Hazard(s) identification         Classification of the substance or mixture         GHS02 Flame         Flam. Liq. 3 H226 Flammable liquid and vapor.         GHS08 Health hazard         Repr. 1B       H360 May damage fertility or the unborn child.         GHS07         Eye Irrit. 2A H319 Causes serious eye irritation.         Label elements         GHS01 Elements         GHS02 GHS03 GHS08         GHS04 GHS04 GHS04         GHS05         Eye Irrit. 2A H319 Causes serious eye irritation.         Label elements         GHS02 GHS07 GHS08	Article number: D5005-6, D5006-6	
Emergency telephone number: During normal business hours: +1 (949) 679 1190         Hazard(s) identification         Classification of the substance or mixture         GHS02 Flame         Flam. Liq. 3 H226 Flammable liquid and vapor.         GHS08 Health hazard         Repr. 1B       H360 May damage fertility or the unborn child.         GHS07         Eye Irrit. 2A H319 Causes serious eye irritation.         Label elements         GHS label elements         GHS02 GHS07         GHS label elements         GHS label elements         GHS label elements         GHS label elements         GHS02 GHS07         GHS02 GHS07	Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682	
Classification of the substance or mixture GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08		679 1190
Classification of the substance or mixture GHS02 Flame Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS tabel elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08		
Flam. Liq. 3 H226 Flammable liquid and vapor.         Flam. Liq. 3 H226 Flammable liquid and vapor.         GHS08 Health hazard         Repr. 1B       H360 May damage fertility or the unborn child.         GHS07         Eye Irrit. 2A H319 Causes serious eye irritation.         Label elements         GHS01 Flammable liquid and vapor.         GHS02 GHS07         Eye Irrit. 2A H319 Causes serious eye irritation.         Label elements         GHS02 GHS07 GHS08	Hazard(s) identification	
Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08	Classification of the substance or mixture	
GHS08 Health hazard         Repr. 1B       H360 May damage fertility or the unborn child.         GHS07         Eye Irrit. 2A       H319 Causes serious eye irritation.         Label elements         GHS label elements         GHS02       GHS07         GHS02       GHS07		
Repr. 1B H360 May damage fertility or the unborn child. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08	GHS02 Flame	
Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08	$\checkmark$	
Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08	Flam. Liq. 3 H226 Flammable liquid and vapor.	
Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08	Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard	
Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08	Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictograms GHS02 GHS07 GHS08	Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child.	
	Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. GHS07	
	Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to th	e Globally Harmonized System (GHS)
Signal word Danger	Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms	e Globally Harmonized System (GHS)
	Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn child. GHS07 Eye Irrit. 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms	e Globally Harmonized System (GHS)

(Contd. on page 2)



Printing date 02/05/2016

Reviewed on 11/13/2015

Page 2/11

Trade name: M-Dissolving Buffer
(Contd. of page 1)
· Hazard statements
Flammable liquid and vapor.
Causes serious eye irritation.
May damage fertility or the unborn child.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
Wear protective gloves / eye protection / face protection.
Ground/bond container and receiving equipment.
Keep container tightly closed.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wash thoroughly after handling.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store locked up.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations. • <i>Classification system:</i>
· Classification system: · NFPA ratings (scale 0 - 4)
· NTTA raings (scale 0 - 4)
Health $= 2$
Fire = 2
2 Reactivity = 0
<ul> <li></li> </ul>
· HMIS-ratings (scale 0 - 4)
HEALTH <sup>12</sup> Health = $*2$
FIRE 2 Fire = 2
<b>REACTIVITY</b> Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
• <b><i>PBT</i></b> : Not applicable.
· <b>vPvB</b> : Not applicable.
3 Composition/information on ingredients
• Chemical characterization: Mixtures

 $\cdot$  **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Dissolving Buffer

#### · Dangerous components:

CAS: 68-12-2 N,N-dimethylformamide

#### 4 First-aid measures

#### · Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US

(Contd. of page 2)

≤50%



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Dissolving Buffer

See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

• *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

• Components with limit values that require monitoring at the workplace: CAS: 68-12-2 N,N-dimethylformamide

- PEL Long-term value: 30 mg/m<sup>3</sup>, 10 ppm Skin
- REL Long-term value: 30 mg/m<sup>3</sup>, 10 ppm Skin
- TLV Long-term value: 30 mg/m<sup>3</sup>, 10 ppm Skin; BEI

· Ingredients with biological limit values:

#### CAS: 68-12-2 N,N-dimethylformamide

BEI 15 mg/L Medium: urine Time: end of shift Parameter: N-Methylformamide

> 40 mg/L Medium: urine Time: prior to last shift of workweek Parameter: N-Acetyl-S-(N-methylcarbamoyl) cysteine (semi-quantitative)

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. of page 3)

US



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Dissolving Buffer

(Contd. of page 4)

- · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles
- 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Clear · Odor: Amine-like · Odour threshold: Not determined. Not determined. · pH-value: (Contd. on page 6) US



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Dissolving Buffer

	(Contd. of page
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. 152 °C (306 °F)
· Flash point:	58 °C (136 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	440 °C (824 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits: Lower: Upper:	2.2 Vol % 16.0 Vol %
· Vapor pressure at 20 °C (68 °F):	3.5 hPa (3 mm Hg)
· Density: · Relative density · Vapour density · Evaporation rate	Not determined. Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
$\cdot$ Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents:</li> <li>Other information</li> </ul>	0.0 % No further relevant information available.

# 10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Page 6/11



Printing date 02/05/2016

Trade name: M-Dissolving Buffer

#### Reviewed on 11/13/2015

(Contd. of page 6)

3

Page 7/11

# 11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### CAS: 68-12-2 N,N-dimethylformamide

Oral	LD50	2800 mg/kg (rat)
	LD50	4720 mg/kg (rabbit)
Inhalative	LC50/4 h	9400 mg/l (mouse)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

#### • Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 68-12-2 N,N-dimethylformamide

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Dissolving Buffer

(Contd. of page 7)

# 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN2265	
UN proper shipping name		
DOT	N,N-Dimethylformamide solution	
IMDG, IATA	N,N-DIMETHYLFORMAMIDE solution	
Transport hazard class(es)		
DOT		
FLAMMABLE LIQUID		
3		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
Class	3 Flammable liquids	
Label	3	
Packing group		
DOT, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	30	
EMS Number:	F-E,S-D	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Page 8/11



Printing date 02/05/2016

Reviewed on 11/13/2015

Page 9/11

Trade name: M-Dissolving Buffer

	(Contd. of page 8
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2265 N,N-DIMETHYLFORMAMIDE SOLUTION, 3, III

#### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

CAS: 68-12-2 N,N-dimethylformamide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

A4



Page 10/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Dissolving Buffer (Contd. of page 9) · Hazard pictograms GHS02 GHS08 GHS07 · Signal word Danger · Hazard-determining components of labeling: N,N-dimethylformamide · Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May damage fertility or the unborn child. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves / eye protection / face protection. Ground/bond container and receiving equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store locked up. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682

(Contd. on page 11)

US



Printing date 02/05/2016

Reviewed on 11/13/2015

Page 11/11

Trade name: M-Dissolving Buffer (Contd. of page 10) · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/05/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids, Hazard Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Repr. 1B: Reproductive toxicity, Hazard Category 1B



Printing date 02/05/2016

Reviewed on 11/13/2015

Page 1/9

# **1** Identification · Product identifier • Trade name: M-Binding Buffer · Article number: D5001-3, D5002-3, D5005-3, D5006-3, D5040-3 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com · Information department: Product safety department • Emergency telephone number: During normal business hours: +1 (949) 679 1190 2 Hazard(s) identification · Classification of the substance or mixture GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 · Signal word Warning · Hazard-determining components of labeling: guanidinium chloride · Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. · Precautionary statements Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. (Contd. on page 2) US



Printing date 02/05/2016

Trade name: M-Binding Buffer

Reviewed on 11/13/2015

Page 2/9

#### (Contd. of page 1) Do not eat, drink or smoke when using this product. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If swallowed: Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse mouth. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1FIRE 0 Fire = 0**REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · *PBT*: Not applicable. · vPvB: Not applicable.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 50-01-1 guanidinium chloride

# 4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Immediately call a doctor.

(Contd. on page 3)

≤60%

<sup>-</sup> US



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 2)

Trade name: M-Binding Buffer

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- *Environmental precautions:* Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)

Page 3/9



Printing date 02/05/2016

#### Trade name: M-Binding Buffer

Reviewed on 11/13/2015

(Contd. of page 3)

Page 4/9

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.


Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



(Contd. on page 5)



Printing date 02/05/2016

Trade name: M-Binding Buffer

# 9 Physical and chemical properties

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Liquid
Color:	Clear
Odor:	undistinguishable
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
Solids content:	30.0 %
Other information	No further relevant information available.

Reviewed on 11/13/2015

(Contd. of page 4)

(Contd. on page 6)

Page 5/9



Printing date 02/05/2016

Trade name: M-Binding Buffer

Reviewed on 11/13/2015

(Contd. of page 5)

Page 6/9

### 10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### CAS: 50-01-1 guanidinium chloride

- Oral LD50 475 mg/kg (rat)
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 6)

#### Trade name: M-Binding Buffer

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA	
Class	not regulated
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Anne.	c II of
MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 8)

Page 7/9



Printing date 02/05/2016

Trade name: M-Binding Buffer

### Reviewed on 11/13/2015

(Contd. of page 7)

Page 8/9

### 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

 Hazard-determining components of labeling: guanidinium chloride
 Hazard statements

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

US



Printing date 02/05/2016

Reviewed on 11/13/2015

# Trade name: M-Binding Buffer

· Precautionary statements

(Contd. of page 8)


Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If swallowed: Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse mouth. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/05/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Page 9/9



Printing date 02/05/2016

Reviewed on 11/13/2015



· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

US



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 1)

Page 2/7

Trade name: M-Wash Buffer

· Dangerous components: Void

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *Advice for firefighters*
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- $\cdot$  Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)



Printing date 02/05/2016

#### Trade name: M-Wash Buffer

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• *Eye protection:* Goggles recommended during refilling.

Information on basic physical and a General Information	chemical properties	
Appearance: Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	

Reviewed on 11/13/2015

(Contd. of page 2)

Page 3/7



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Wash Buffer

	(Contd.	of page 3
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

Page 4/7



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Wash Buffer

(Contd. of page 4)

Page 5/7

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot$  Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

US



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 5)

Trade name: M-Wash Buffer

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN ''Model Regulation'':	not regulated	

# 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- · TSCA (Toxic Substances Control Act):
- None of the ingredients is listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.

(Contd. on page 7)

Page 6/7



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 6)

Trade name: M-Wash Buffer

### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements Void

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/05/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Page 7/7



Printing date 02/05/2016

Reviewed on 11/13/2015

Page 1/11

Zymo Research Corp. (7062 Murphy Ave. Troine, CA 92614 JSA Phone: 1-949-679-1190 or 1-888-882-9682 dis@ zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Care. 1A H350 May cause cancer. GHS07 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Eye Irrit. 2A H319 Causes serious eye irritation. TOT SE 3 H336 May cause drowsiness or dizziness. Tabel elements GHS07 GHS08 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: thanol propan-2-ol Hazard statements	ming une 02/03/2010	Keviewed on 11/15/20
Product identifier Frede name: <u>M-Desulphonation Buffer</u> Article number: D5001-5, D5002-5, D5040-5 Details of the supplier of the safety data sheet Manufacturer/Supplier: Symo Research Corp. 17062 Murphy Ave. Prince: CA 92614 JSA Phone: 1-949-679-1190 or 1-888-882-9682 dis@zymoresearch.com Information department: Product safety department Smergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture Classification of the substance or mixture Class	Identification	
Trade name: M-Desulphonation Buffer Article number: D5001-5, D5002-5, D5040-5 Details of the supplier of the safety data sheet Manufacturer/Supplier: Yono Research Corp. (7062 Murphy Ave. Trine, CA 92614 JSA Prone: 1-949-679-1190 or 1-888-882-9682 dis@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Stror SE 3 H336 May cause drowsiness or dizziness. Tabel elements HIS label elements HIS		
Article number: D5001-5, D5002-5, D5040-5 Details of the supplier of the safety data sheet Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. 17062 Murphy Ave. 1707	·	
Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Zymo Research Corp.         (7)062 Murphy Ave.         rvine, CA 92614         JSA         Phone: 1-949-679-1190 or 1-888-882-9682         ds@ zymoresearch.com         Information department: Product safety department         Emergency telephone number: During normal business hours: +1 (949) 679 1190         Hard(s) identification         Classification of the substance or mixture         Image: Classification of the substance or mixtu		
Manufacturer/Supplier: Zymo Research Corp. 7/062 Murphy Ave. rvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 dds@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture of HS08 Health hazard Care. 1A H350 May cause cancer. OfHS07 Skin Irrit. 2 H315 Causes skin irritation. Sye Irrit. 2A H319 Causes serious eye irritation. Symothese elements H35 label elements irritation. Signal word Danger Hazard statements Hazard statements		
Zymo Research Corp. (7062 Murphy Ave. Troine, CA 92614 JSA Phone: 1-949-679-1190 or 1-888-882-9682 dis@ zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Care. 1A H350 May cause cancer. GHS07 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Eye Irrit. 2A H319 Causes serious eye irritation. TOT SE 3 H336 May cause drowsiness or dizziness. Tabel elements GHS07 GHS08 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: thanol propan-2-ol Hazard statements	Details of the supplier of the safety data sheet Manufacturer/Supplier:	
rvine, CA 92614 JSA Phone: 1-949-679-1190 or 1-888-882-9682 ds@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture Information of the substance of the sub	Zymo Research Corp.	
JSA Phone: 1-949-679-1190 or 1-888-882-9682 dds@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Sty Irrit. 2A H319 Causes serious eye irr		
ds@zymoresearch.com Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Harard(s) identification Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Stor SE 3 H336 May cause drowsiness or dizziness. Tabel elements Habel elements THS label elements THS label elements THS label elements GHS07 GHS07 GHS08 Signal word Danger Hazard determining components of labeling: thanol propan-2-01 Hazard statements	USA	
Information department: Product safety department Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Style Irrit. 2A H319 Causes serious eye irritation. Style Irrit. 2A H319 Causes serious eye irritation. Style Irrit. 2A H319 Causes drowsiness or dizziness. Cabel elements The product is classified and labeled according to the Globally Harmonized System (GHS GHS07 GHS08 Signal word Danger Hazard Jetermining components of labeling: thanol propan-2-ol Hazard Statements	Phone: 1-949-679-1190 or 1-888-882-9682	
Emergency telephone number: During normal business hours: +1 (949) 679 1190 Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Style Irrit. 2 H315 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements JHS label elements JHS label elements JHS label elements GHS07 GHS08 Signal word Danger Hazard Jetermining components of labeling: thanol rropan-2-ol Hazard statements		
Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Care. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. StOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements GHS label elements GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: thanol ropan-2-ol Hazard statements		urs: +1 (949) 679 1190
Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Stor SE 3 H336 May cause drowsiness or dizziness. Cabel elements GHS07 GHS08 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements	Emergency telephone number. During normal business no	
Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Stor SE 3 H336 May cause drowsiness or dizziness. Cabel elements GHS07 GHS08 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements	Hazard(s) identification	
GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Cabel elements GHS07 BHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements		
Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Cabel elements GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol oropan-2-ol Hazard statements	Classification of the substance or mixture	
Carc. 1A H350 May cause cancer. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Cabel elements GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol oropan-2-ol Hazard statements	GHS08 Health hazard	
GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: thanol propan-2-ol Hazard statements		
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Cabel elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements	Carc. 1A H350 May cause cancer.	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Cabel elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements		
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements	GHS07	
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements	$\mathbf{V}$	
STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements		
Label elements         GHS label elements         The product is classified and labeled according to the Globally Harmonized System (GHS         Hazard pictograms         Image: GHS07         GHS08         Signal word Danger         Hazard-determining components of labeling:         ethanol         propan-2-ol         Hazard statements	• •	
GHS label elements       The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms)         GHS07       GHS08         Signal word Danger       Hazard-determining components of labeling:         ethanol       poropan-2-ol         Hazard statements       Hazard statements		
Hazard pictograms		ccording to the Globally Harmonized System (GHS)
Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements	Hazard pictograms	containing to the Grobining Harmonized System (GHS).
Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements	$\mathbf{A} \mathbf{A}$	
Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements		
Signal word Danger Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements		
Hazard-determining components of labeling: ethanol propan-2-ol Hazard statements	GHS07 GHS08	
ethanol oropan-2-ol Hazard statements	Signal word Danger	
propan-2-ol Hazard statements	Hazard-determining components of labeling:	
Hazard statements	ethanol	
	Hazard statements	
	Causes skin irritation.	
	Causes serious eye irritation.	(Contd. on page

- US



Printing date 02/05/2016

Trade name: M-Desulphonation Buffer

Reviewed on 11/13/2015

(Contd. of page 1) May cause cancer. May cause drowsiness or dizziness. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1FIRE Fire = 00 Reactivity = 0**REACTIVITY** 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-63-0 propan-2-ol

(Contd. on page 3)

≤30%



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Desulphonation Buffer

	(Contd	. of page 2)
CAS: 64-17-5	ethanol	≤30%
CAS: 1310-73-2	sodium hydroxide	≤2.5%

### 4 First-aid measures

#### · Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.
- $\cdot$  Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

Page 3/11

<sup>–</sup> US



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Desulphonation Buffer

(Contd. of page 3)

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep receptacle tightly sealed.

• *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 67-63-0 propan-2-ol

PEL Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

- REL Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm
- Long-term value: 980 mg/m<sup>3</sup>, 400 ppm
- TLV Short-term value: 984 mg/m<sup>3</sup>, 400 ppm Long-term value: 492 mg/m<sup>3</sup>, 200 ppm BEI

CAS: 64-17-5 ethanol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

#### CAS: 1310-73-2 sodium hydroxide

- PEL Long-term value: 2 mg/m<sup>3</sup>
- REL Ceiling limit value: 2 mg/m<sup>3</sup>
- TLV Ceiling limit value: 2 mg/m<sup>3</sup>

· Ingredients with biological limit values:

CAS: 67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

US

### Page 4/11



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 4)

US

Trade name: M-Desulphonation Buffer

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Alcohol-like	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	

Page 5/11



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Desulphonation Buffer

	(Contd. of page
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	2.0 Vol %
Upper:	15.0 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	58.0 %
VOC content:	58.0 %
	580.0 g/l / 4.84 lb/gl
Solids content:	0.9 %
• Other information	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.

(Contd. on page 7)

Page 6/11

US



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Desulphonation Buffer

· on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- CAS: 67-63-0 propan-2-ol

CAS: 64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

(Contd. of page 6)

3

1



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Desulphonation Buffer

### (Contd. of page 7)

US

uid, acidic, organic, n.o.s. (Sodium hydroxide) E LIQUID, ACIDIC, ORGANIC, N.O.S. (SODIUM )E) substances
E LIQUID, ACIDIC, ORGANIC, N.O.S. (SODIUM DE) substances
E LIQUID, ACIDIC, ORGANIC, N.O.S. (SODIUM DE) substances
substances
substances
le.
rrosive substances
le.
IC.
r aircraft/rail: 5 L
anoft and a CO I
craft only: 60 L
e

Page 8/11



Page 9/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Desulphonation Buffer

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE), 8, III

### 15 Regulatory information

- $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- CAS: 67-63-0 propan-2-ol
- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- CAS: 64-17-5 ethanol
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- TLV (Threshold Limit Value established by ACGIH)
- CAS: 67-63-0 propan-2-ol
- CAS: 64-17-5 ethanol
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)
  - US

A4

A3



Page 10/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Desulphonation Buffer

(Contd. of page 9) · Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: ethanol propan-2-ol · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause cancer. May cause drowsiness or dizziness. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614



Printing date 02/05/2016

Reviewed on 11/13/2015

Page 11/11

Trade name: M-Desulphonation Buffer


	(0, 1, 1, 1, 10)
USA	(Contd. of page 10)
Phone: 1-949-679-1190 or 1-888-882-9682	
· Contact: sds@zymoresearch.com	
· Date of preparation / last revision 02/05/2016 / -	
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Inte	ernational Carriage
of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A	
Carc. 1A: Carcinogenicity, Hazard Category 1A	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	Us -



Printing date 02/05/2016

Reviewed on 11/13/2015

Page 1/7



· Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

2) US



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 1)

Page 2/7

Trade name: M-Elution Buffer

· Dangerous components: Void

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • *Advice for firefighters*
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Elution Buffer

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

hemical properties	
Liquid	
Clear	
Odorless	
Not determined.	
Not determined.	
Undetermined.	
	Liquid Clear Odorless Not determined. Not determined.

(Contd. of page 2)



Printing date 02/05/2016

Reviewed on 11/13/2015

Trade name: M-Elution Buffer

		(Contd. of page
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	2.0 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

Page 4/7



Printing date 02/05/2016

Trade name: M-Elution Buffer

### Reviewed on 11/13/2015

(Contd. of page 4)

Page 5/7

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- *vPvB*: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.

(Contd. on page 6)



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 5)

Page 6/7

Trade name: M-Elution Buffer

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex 1 MARPOL73/78 and the IBC Code	<i>II of</i> Not applicable.
· UN ''Model Regulation'':	not regulated

### 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS: 1185-53-1 2-amino-2-(hydroxymethyl)propane-1,3-diolhydrochloride

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 7)

US



Printing date 02/05/2016

Reviewed on 11/13/2015

(Contd. of page 6)

Trade name: M-Elution Buffer

### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · Contact: sds@zymoresearch.com · Date of preparation / last revision 02/05/2016 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Page 7/7